

B1297000-PH2/3000.01a/0004 C3

FOR CONTINUATION,
SEE DRAWING NO. 0005

NOTES

- All dimensions in metres unless otherwise stated.
- For complete fencing key, refer to fencing drawings.

KEY

- High Forest - Dry (Planting at 2m centres, random mix in groups of 3-5 of each species) (LE2.1 and LE2.4.1)
- High Forest - Dry (Planting at 2.5m centres, random mix in groups of 3-5 of each species) (LE2.1 and LE2.4.1)
- High Forest - Wet (Planting at 2m centres, random mix in groups of 3-5 of each species) (LE2.1 and LE2.4.1)
- High Forest - Wet (Planting at 2.5m centres, random mix in groups of 3-5 of each species) (LE2.1 and LE2.4.1)
- Dry Woodland Edge (3m wide, planting at approximately 1.2 - 1.5m centres in three staggered rows, random mix of 3-5 species (LE2.1 and LE2.4.1). Care must be taken not to plant in obvious or straight lines. Refer to plant spacing detail on drawing B1297000/3000.01a/0001)
- Wet Woodland Edge (3m wide, planting at approximately 1.2 - 1.5m centres in three staggered rows, random mix of 3-5 species (LE2.1 and LE2.4.1). Care must be taken not to plant in obvious or straight lines. Refer to plant spacing detail on drawing B1297000/3000.01a/0001)
- Scrub random mix in groups of 3 - 5 of each species (LE2.8)
- Wetland Scrub random mix in groups of 3 - 5 of each species (LE2.8)
- Existing Woodland to be managed (LE2.1.1)
- Existing Woodland Edge to be Managed (LE2.2)
- Scattered Trees in Wet Grassland, Marsh and Fen (LE6.1.1.1) Refer to plant spacing detail on drawing B1297000/3000.01a/0001
- Scattered Scrub in Neutral Grassland (LE6.1.3.1) Refer to plant spacing detail on drawing B1297000/3000.01a/0001
- Climbing plants on fences and structures - 4m linear spacing unless otherwise noted
- Woodland/woodland edge infill planting
- Amenity Tree and Shrub Planting (LE3.1)
- Extra heavy standard, semi-mature tree or multi-stem tree
- Site of Special Scientific Interest (SSSI)
- Site of Nature Conservation Importance (SNCI)
- Native Species Hedgerows (LE4.3) Two staggered rows, planted at 0.5m centres, 0.5m between rows
- Native Hedgerows with Trees (LE4.4) Two staggered rows, planted at 0.5m centres, 0.5m between rows. Trees shall be planted between rows at an average of 10m - 15m centres
- Ditch
- Watercourse
- Pond
- Public Footpath
- Byway
- Bridleway
- Existing trees, hedges & scrub to be retained
- Woodland management zones
- CPO boundary
- BF BF - Bat Fence
- CB CB - 1.8m close boarded fence
- BP BP - 1.2m high timber post and wire fence with badger proofing (HCD/H13 + H46).
- P&P - Timber post and four rail fence (HCD/H3)
- ABNB - 1.8m high absorptive noise barrier
- REH1 - 1.8m high reflective Noise Barrier
- REH2 - 1.5m high reflective Noise Barrier

C3	04/11/2015	Planting revs to match scheme changes	AS	RM	RM	PDF
C2	11/08/2015	Plant Schedule Updated to Match Changes	CC	AS	TD	JP
C1	02/03/2015	NEBGR Roundabout Added	AS	RM	AB	JP
C0	28/07/2013	ISSUED FOR CONSTRUCTION	AS	RM	AB	JP
Rev	Rev. Date	Purpose of revision	Drawn	Checked	Rev'd	App'd

JACOBS

Simpson House, 6 Cherry Orchard Road, Croydon, Surrey, CR9 6BE
Tel: +44(0)208 686 8212 Fax: +44(0)20 681 2499
www.jacobs.com

Client Employer



Project

BEXHILL TO HASTINGS LINK ROAD

Drawing title

PLANTING
SHEET 4 OF 14

Drawing status
FOR CONSTRUCTION

Scale 1:1000 @ A1 DO NOT SCALE

Jacobs No. B1297000

Client no.


Drawing number
B1297000-PH2/3000.01a/0004

Rev
C3

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.

Drawing number / Rev

B1297000-PH2/3000.01a/0004 C3



Reproduction from the Ordnance Survey Map with the permission of the controller of Her Majesty's stationery office Crown copyright reserved Licence No. AL 100017326

Reproduction from the Ordnance Survey Map with the permission of the controller of Her Majesty's stationery office Crown copyright reserved Licence No. AL 100017326


FOR CONTINUATION,
SEE DRAWING NO. 0003

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION
In addition to the hazards/risks normally associated with the types of work detailed on this drawing, note the following:
CONSTRUCTION
Likelihood of fly-tipped hazardous substances
Existing overhead and underground high voltage cables
Working near overhead power lines at dormouse crossing point
Working adjacent to a railway
Working on slopes steeper than 1:3
Working near to site plant and other machinery
MAINTENANCE / CLEANING
Same as for construction
DECOMMISSIONING / DEMOLITION
Same as for construction
It is assumed that all works will be carried out by a competent contractor working, where appropriate, to an approved method statement

Steep grass slopes reinforced with soil nailing

Ninfield Additional Planting

Infill woodland planting where trees have been coppiced or removed for slope stabilisation works: 100% coverage where existing trees are absent; 80% where existing coverage of coppiced trees is 20%; 50% where existing coverage is 50%; and 30% where existing coverage is 70%. Plant numbers for each area have been adjusted to reflect these percentages. Where existing topsoil is no longer present, topsoil shall be placed at each planting station to 300mm depth and a minimum radius of 500mm. Topsoil shall be placed to a minimum depth of 150mm in all other areas of the plantations where existing topsoil has been lost. Variations in topsoil depths shall be achieved by excavation/grading so that the finished surface levels will be even.



SCALE 1 : 1000