



FOR CONTINUATION, SEE DRAWING NO. 0003

FOR CONTINUATION, SEE DRAWING NO. 0001

- NOTES**
1. Refer to drawing number B12970000300.01a/0000 for Key plan.
 2. These drawings are to be read in conjunction with Appendix 3/1 Fencing, Gates and Siles and A.
 3. **Stock Proof Fencing**
It has been assumed that all Agricultural fencing requires stock proof fencing; this is to be reviewed following confirmation of land use/maintenance.
 4. **Gates**
The location and provision of gates and siles are to be confirmed.
 5. Noise Barrier to be placed on highway boundary or offset up to 1m inside highway boundary subject to agreement with adjacent landowners.
 6. Badger gates - One way badger gates to be provided along the route of the link road at a minimum of 500m spacing on both side of the road.
 7. Badger proof fencing to taper towards mammal tunnel entrances.
 8. Where stock proof / noise proof fencing and badger fencing are required in close proximity a design solution to combine fence types will be considered.
 9. For locations of tree root protection see drawings B1297000-PH2/0200.01b/0001 to 00015.

KEY

- CPO — CPO boundary
- MA Maintenance access gate
- 2WG 2 way badger gate

Permanent highway fencing

- BF — BF — Bat Fence
- CB — CB — 1.8m close boarded fence
- BP — BP — 1.2m high timber post and wire fence with badger proofing (HCDH13 + H46)
- PAR — PAR — Timber post and four rail fence (HCDH13)
- ABNB — ABNB — 1.8m high absorptive noise barrier
- REH1 — REH1 — 1.8m high reflective Noise Barrier
- REH2 — REH2 — 1.5m high reflective Noise Barrier

Accommodation works fencing

- SP — SP — 1.2m high stock proof fence (HCDH13)
- SBP — SBP — 1.2m high stock/badger proof fences (HCDH13 + H46)
- RW — RW — 1.2m high timber post and wire (HCD13)

Temporary fencing

- TF — TF — Temporary Fence (HCDH1 Type 2)
- HF — HF — Herpule Fence
- DST — DST — 1.8m high temporary Fencing SSSI

SCALE 1 : 500

RS	06/03/2013	LINE TYPES CONNECTED TO MATCHKEY	LC	RS	SSG	RND
RA	28/02/2013	GREENWAY AMENDED AT HILLCROFT	ASC	RS	SSG	RND
RS	23/01/2012	ISSUE FOR INFORMATION	ILC	RS	SG	RD
R2	14/12/2012	ISSUE FOR INFORMATION	DM	RS	SG	RD
RT	12/11/2012	ISSUE FOR INFORMATION	DM	RS	SG	RD
RO	02/11/2012	INITIAL ISSUE	DC	DM	PGF	RD

Rev: Rev: Date Purpose of revision Drawn: Checked: Rev'd: Approved

JACOBS
Simpson House, 6 Cherry Orchard Road, Gorton, Surrey, CR8 8BE
Tel: +44(0)208 666 8212 Fax: +44(0)208 881 2459
www.jacobs.com

HOCHTIEF
INFRASTRUCTURE

TEKOR
LAND CONSTRUCTION

environment-partners

Client: **BEXHILL TO HASTINGS LINK ROAD**

Project: **FENCING SHEET 2 OF 32**

Drawing title: **ISSUE FOR REVIEW**

Scale: 1:500 @ A1

Jacobs No: B1297000-PH2

Client no: **DO NOT SCALE**

Drawing number: **B1297000-PH2/0300.01a/0002**

Rev: **R5**

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION

It is assumed that all works will be carried out by a competent contractor working in accordance with the relevant safety and environmental legislation. It is the responsibility of the contractor to ensure that all necessary safety and environmental measures are in place before commencing work.

REPRODUCTION FROM THE ORDINANCE SURVEY MAP WITH THE PERMISSION OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. CROWN COPYRIGHT RESERVED. LICENCE NO. AL 100017326