

Appendix 13-D Visual Impact Schedule: Public Rights of Way

Impacts of the road on views from PROW and permissive paths, assessment carried out at 100m intervals on paths from south to north

REF .No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse S/Ad = Slight Adverse Neg = Negligible NC = No Change			Mitigation and Comments
						First Winter	Winter 15 yrs.	Sum- mer 15yrs	
Italics=photo -montage location			Construction						
Urban									
3a									
0m same as 3b @75m	No view	No view	NC	No view	No view	NC	NC	NC	
100m	No view	No view	NC	No view	No view	NC	NC	NC	
200m	No view	No view	NC	No view	No view	NC	NC	NC	
248m	No view	No view	NC	No view	No view	NC	NC	NC	
3b									
0m	No view	No view	NC	No view	No view	NC	NC	NC	
75m	No view	No view	NC	No view	No view	NC	NC	NC	
6a									
0m	No view	No view	NC	No view	No view	NC	NC	NC	
100	No view	No view	NC	No view	No view	NC	NC	NC	
115m	No view	No view	NC	No view	No view	NC	NC	NC	
6b Starts southern end									Alignment in deep cutting, management of existing trees and new planting

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse Sl/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage location			Construction						
0m	No view	No view	NC	No view	No view	NC	NC	NC	Retaining trees, new planting, Alignment
100m	127	In front of Glovers farm bridge	Sub/Ad	800-900m	200-300m	Sl/Ad	Neg	Neg	Retaining, trees, new planting, Alignment
Viewpoint 31 @130m	100m	Glovers farm bridge	Sub/Ad	1000-1100m	200-300m	Sub/Ad	Mod/Ad	Mod/Ad	Retaining trees, new planting, Alignment
200m same as 33 @0m	111m	New Glovers bridge	Sub/Ad			Sub/Ad	Neg	Neg	Alignment in cutting, management of existing trees and new earthworks and planting
New section of footpath @81	On Glovers Bridge.	Glovers Fm to Acton Fm	Sub/Ad	1500-1600m		Sub/Ad	Sub/Ad	Sub/Ad	Views from overbridge difficult to mitigate, but reducing impact as move away from bridge
106									
0m	No view	No view	NC	No view	No view	NC	NC	NC	
100m	No view	No view	NC	No view	No view	NC	NC	NC	
166m	No view	No view	NC	No view	No view	NC	NC	NC	

REF .No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse SI/Ad = Slight Adverse Neg = Negligible NC = No Change			Mitigation and Comments
						First Winter	Winter 15 yrs.	Sum- mer 15yrs	
Italics=photo -montage Location			Construction						
Rural areas 1(1066 walk)									
0	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
100	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
200	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
300	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
400m	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting.
500m	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
600m	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
700m	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
800m	446m- 1000m	Actons- Adams	Sub/Ad	200-300m	100-200m	Mod/ Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
900m	960m	Actons- Adams	Sub/Ad	300-400m	100-200m	Mod/ Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
Viewpoint 5 @ 980m	270m	Actons- Adams	Sub/Ad	400-500m	100-200m	Mod /Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse SI/Ad = Slight Adverse Neg = Negligible NC = No Change			Mitigation and Comments
						First Winter	Winter 15 yrs.	Sum- mer 15yrs	
Italics=photo -montage Location			Construction						
10									
0m same as 35c @ 274m	No view	No view	NC	No view	No view	NC	NC	NC	
100m	No view	No view	NC	No view	No view	NC	NC	NC	
200m	No view	No view	NC	No view	No view	NC	NC	NC	
300m	No view	No view	NC	No view	No view	NC	NC	NC	
400m	1220m	Actons- Adams	SI/Ad	100-200m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
500m	1300m	Actons- Adams	SI/Ad	200-300m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
Viewpoint 28 @ 530m	1320m	Actons- Adams	SI/Ad	200-300m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
11									
0m same as 35e @ 64m	785m	Actons- Adams	Neg		No view	Neg	NC	NC	
100m	840m	Actons- Adams	SI/Ad	100-200m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
200m	910m	Actons- Adams	SI/Ad	200-300m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
300m	987m	Actons- Adams	SI/Ad	300-400m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
400m	1127m	Actons- Adams	SI/Ad	800-900m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting

REF_No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse SI/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage location			Construction						
500m	1376m	Actons- Adams	SI/Ad	1300-1400m	700-800m	SI/Ad	Neg	Neg	Alignment, Earthworks and planting
522m	1399m	Actons- Adams	SI/Ad	1300-1400m	700-800m	SI/Ad	Neg	Neg	Alignment, Earthworks and planting
13a									
0m same as 34 @464m	300m	Acton- Adams	Sub/Ad			Mod/Ad	SI/Ad	SI/Ad	
100m	340m	Acton- Adams. Lake	Sub/Ad	200-300m	200-300m	Mod/Ad	NC	NC	Alignment, Earthworks and planting
200m	115m	Acton- Adams Lake	Sub/Ad	1300-1400m	1300-1400m	Sub/Ad	Sub/Ad	Sub/Ad	Alignment, Earthworks and planting
300m	148m	Acton- Adams Greenway	Sub/Ad	1700-1800m	1700-1800m	Sub/Ad	Sub/Ad	Sub/Ad	Alignment, Earthworks and planting
New footpath on bridge over road	0m	Acton- Adams	Sub/Ad	1500-1700m		Sub/Ad	Sub/Ad	Sub/Ad	Views from overbridge difficult to mitigate, but reducing impact as move away from bridge
13b									
0m same as 13a @300m	148m	Acton- Adams	Sub/Ad			Sub/Ad	Sub/Ad	Sub/Ad	
100m	375m	Acton- Adams. Greenway	Sub/Ad	1100-1200m	300-400m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/ Ad	Winter 15 yrs.	Sum- mer 15yrs	
Italics=photo -montage location			Construction						
200m	No view	Acton- Adams. Greenway?	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
300m	No view	No view	NC	No view	No view	NC	NC	NC	
400m	No view	No view.	NC	No view	No view	NC	NC	NC	
13c									
0m same as 13b @400m	No view	No view.	NC	No view	No view	NC	NC	NC	
VP 021@ 100m	680m	Adams	Sub/Ad	100-200m	No view?	Mod/Ad	S/Ad	S/Ad	Alignment, Earthworks and planting
200m	No view	Adams	NC	No view	No view	NC	NC	NC	
300m	No view	Actons- Adams	NC	No view	No view	NC	NC	NC	
400m	No view	Actons- Adams	NC	No view	No view	NC	NC	NC	
500m	No view	Actons- Adams	NC	No view	No view	NC	NC	NC	
600m	No view	Adams	NC	No view	No view	NC	NC	NC	
700m	No view	Adams	NC	No view	No view	NC	NC	NC	
14 Crowhurst Parish									
0m same as 13c @ 700m	No view	Adams	NC	No view	No view	?NC	NC	NC	

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse SI/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage location			Construction						
100m	No view	No view	NC	No view	No view	NC	NC	NC	
200m	No view	No view	NC	No view	No view	NC	NC	NC	
230m	No view	No view	NC	No view	No view	NC	NC	NC	
15 Crowhurst Parish									
0m same as 13b @400m	No view	No view.	NC	No view	No view	NC	NC	NC	
100m	657m	Actons- Adams	Sub/Ad	200-300m	No view	Mod/Ad	NC	NC	Alignment, Earthworks and planting
Viewpoint 8 @ 50m	657m	Actons- Adams	Sub/Ad	200-300m	No view	Mod/Ad	NC	NC	Alignment, Earthworks and planting
200m	657m	Actons- Adams	Sub/Ad	200-300m	No view	Mod/Ad	NC	NC	Alignment, Earthworks and planting
300m	No view	No view	NC	No view	No view	NC	NC	NC	
400m	No view	No view	NC	No view	No view	NC	NC	NC	
470m	No view	No view	NC	No view	No view	NC	NC	NC	
16 Crowhurst parish									
0 m same as VPoint 5	270m	Adams	Sub/Ad			Mod/Ad	SI/Ad	SI/Ad	
100m	160m	Adams	Sub/Ad	300-400m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
200m	60m	Adams	Sub/Ad	1100-1200m	200-300m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse SI/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage Location			Construction						
Viewpoint 6 @ 217m	48m	Adams	Sub/Ad	1400-1500m	200-300m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
300m	40m	Adams	Sub/Ad	Underpass	Underpass	Sub/Ad	Sub/Ad	SubAd	Alignment, Earthworks and planting
400m	140m	Adams	Sub/Ad	300-400m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
500m	No view	No view	Sub/Ad	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
600m	345m	Actons- Adams	Sub/Ad	300-400m	100-200mm	SI/Ad	Neg	Neg	Alignment, Earthworks and planting
700m	450m	Actons- Adams	Sub/Ad	300-400m	100-200m	SI/Ad	Neg	Neg	Alignment, Earthworks and planting
800m	500m	Actons- Adams	Sub/Ad	300-400m	100-200m	SI/Ad	Neg	Neg	Alignment, Earthworks and planting
Viewpoint 7 @820m	600m	Actons to Adams	Sub/Ad	300-400m	100-200m	SI Ad	Neg	Neg	Alignment, Earthworks and planting
900m	700m	Actons- Adams	Mod/Ad	300-400m	100-200m	Neg	Neg	Neg	Alignment, Earthworks and planting
1000m	800m	Adams to Actons	Mod/Ad	300-400m	100-200m	Neg	Neg	Neg	Alignment, Earthworks and planting
1100m	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
16 Hasting Parish									
0m southern end	No view	No view	NC	No view	No view	NC	NC	NC	
100m	No view	No view	NC	No view	No view	NC	NC	NC	

REF .No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments	
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse S/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.		Sum- mer 15yrs
Italics=photo -montage Location			Construction							
200m	No view	No view	NC	No view	No view	NC	NC	NC		
300m	No view	No view	NC	No view	No view	NC	NC	NC		
400m	No view	No view	NC	No view	No view	NC	NC	NC		
500m	No view	No view	NC	No view	No view	NC	NC	NC		
600m	No view	No view	NC	No view	No view	NC	NC	NC		
700m	No view	No view	NC	No view	No view	NC	NC	NC		
800m	2628m	Actons- Adams	Neg	0-100m	No view	Neg	NC	NC	Alignment, Earthworks and planting	
900m	2550m	Actons- Adams	Neg	100-200m	No view	Neg	NC	NC	Alignment, Earthworks and planting	
1000m	2354m	Actons- Adams	Neg	100-200m	No view	Neg	NC	NC	Alignment, Earthworks and planting	
1100m	2447m	Actons- Adams	Neg	0-100m	No view	Neg	NC	NC	Alignment, Earthworks and planting	
16a Crowhurst parish										
0m same as 15 @470m	No view	No view	NC	No view	No view	NC	NC	NC		
100m	No view	No view	NC	No view	No view	NC	NC	NC		
200m	No view	No view	NC	No view	No view	NC	NC	NC		
260m	No view	No view	NC	No view	No view	NC	NC	NC		

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse SI/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage Location			Construction						
18 Hastings parish check									
0m same as 16 Hastings Parish @ 1100m	2447m	Actons- Adams	Neg		No view	Neg	NC	NC	
Viewpoint 2@ 72m	2524m	Actons- Adams	Mod/Ad	100-200m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
100m	2527m	Actons- Adams	Mod/Ad	100-200m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
200m	2552m	Actons- Adams	Mod/Ad	300-400m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
300m	2540m	Actons- Adams	Mod/Ad	100-200m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
400m	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
500m	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
23a									
0m same as 16 Hastings Parish @ 1100m	2447m	Actons- Adams	Neg		No view	Neg	NC	NC	
100m	2360m	Actons- Adams	Mod/Ad	200-300m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting.

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments	
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse Sl/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.		Sum- mer 15yrs
Italics=photo -montage Location 200m			Construction							
266m Same as 29b @ 834m	2260m	Actons- Adams	Mod/Ad	300-400m	No view	SI/Ad	NC	NC	NC	Alignment, Earthworks and planting.
28 Hastings Parish	2270m	Actons- Adams	Mod/Ad		No view	SI/Ad	NC	NC	NC	
0m	No view	No view	NC	No view	No view	NC	NC	NC	NC	
Viewpoint 1 @ 42m	3246m	Acton- Adams	Sl/Ad	No view?	No view?	SL/A	Neg	Neg	Neg	Alignment, Earthworks and planting.
100m	No view	No view	NC	No view	No view	NC	NC	NC	NC	
200m	3185m	Actons- Adams	Sl/Ad	?	?	SI/Ad	Neg	Neg	Neg	Alignment, Earthworks and planting
300m	3183m	Actons- Adams	Sl/Ad	?	?	SI/Ad	Neg	Neg	Neg	Alignment, Earthworks and planting
393m	No view	No view	NC	No view	No view	NC	NC	NC	NC	
29b										
0m same as 57 rural@ 833m	1276m	Adams- Queensway	NC		No view	NC	NC	NC	NC	
100m	1460m	Actons- Adams	Mod/Ad	300-400m	No view	Neg	Neg?	Neg?	Neg?	Alignment, Earthworks and planting
200m	1260m	Adams- Queensway	Mod/Ad	300-400m	No view	Neg	NC	NC	NC	Alignment, Earthworks and planting
300m	1580m	Actons- Adams	Mod/Ad	300-400m	100-200m	SI/Ad	SI/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse SI/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage location			Construction						
400m	1500m	Actons- Adams	Mod/Ad	300-400m	200-300m	SI/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
Viewpoint 4 @ 420m	1230m	Adams- Queensway	Mod/Ad	300-400m	200-300m	SI/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
500m	1540m	Actons- Adams	Mod/Ad	200-300m	No view	SI/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
600m	1550m	Actons- Adams	Mod/Ad	200-300m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
700m	1528m	Actons- Adams	Mod/Ad	200-300m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
Viewpoint 3 @ 715m	2140m	Actons- Adams	Mod/Ad	200-300m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
800m	2276m	Actons- Adams	Mod/Ad	300-400m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
834m	2270m	Actons- Adams	Mod/Ad	300-400m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
30 Hastings Parish									
31a									
0m	No view	No view	NC	No view	No view	NC	NC	NC	
South									
100m	No view	No view	NC	No view	No view	NC	NC	NC	
200m	No view	No view	NC	No view	No view	NC	NC	NC	
300m	No view	No view	NC	No view	No view	NC	NC	NC	
400m	No view	No view	NC	No view	No view	NC	NC	NC	

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse Sl/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage location			Construction						
500	1119m	Actons- Adams	Mod/Ad	0-100m	0-100m	Sl/Ad	Neg	Neg	Alignment, Earthworks and planting
600	1022m	Actons- Adams	Sub/Ad	600-700m	200-300m	Mod/Ad	Sl/Ad	Sl/Ad	Alignment, Earthworks and planting
700m	426m	Glovers- Actons	Sub/Ad	100-200m	No view	Mod/Ad	NC	NC	Alignment, Earthworks and planting
Viewpoint 10 @ 770m	1070m	Adams Farm	Sub/Ad	200-300m	0-100m	Mod/Ad	Sl/Ad	Sl/Ad	Alignment, Earthworks and planting
800m	1160m	Adams farm	Sub/Ad	300-400m	200-300m	Mod/Ad	Sl/Ad	Sl/Ad	Alignment, Earthworks and planting
900m	262m	Glovers - Actons	Sub/Ad	700-800m	600-700m	Mod/Ad	SL/A	Sl/Ad	Alignment, Earthworks and planting
1000m	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
31b									
0m same as 1000m fpath 31a (southern)	No view	No view	NC	No view	No view	NC	NC	NC	
100m	No view	No view	NC	No view	No view	NC	NC	NC	
190m	300m	Actons. Greenway	Sub/Ad	800-900m	500-600m	Mod/Ad	NC	NC	Alignment, Earthworks and planting
32a									
0m same as 6b 180m	No view	No view	NC	No view	No view	NC	NC	NC	

REF .No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/ Ad	Winter 15 yrs.	Sum- mer 15yrs	
Italics=photo -montage location			Construction			First Winter	Winter 15 yrs.	Sum- mer 15yrs	
0m	111m	New Glovers bridge only	Sub/Ad	1200-1300m	900-1000m	Sub/Ad	Neg	Neg	Alignment, Earthworks and planting
100m	528mm	Glover- Actons Greenway	Sub/Ad	1000-1100m	200-300m	Mod/Ad	SI/Ad	SI/Add	Alignment, Earthworks and planting
200m	180m	Glover- Actons Depends on hedge height. Greenway.	Sub/Ad	300-400m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
300	150m	Glover- Actons Depends on hedge height. Greenway	Sub/Ad	300-400m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
400	159m	Glovers- Actons .Greenway +Road	Mod/Ad	200-300m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
500	No view	Glover- Actons- Greenway.	Sub/Ad	200-300m	200-300? ?	Mod/Ad	Mod/Ad	Mod/Ad	Alignment, Earthworks and planting

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse Sl/Ad = Slight Adverse Neg = Negligible NC = No Change			Mitigation and Comments
						First Winter	Winter 15 yrs.	Sum- mer 15yrs	
Italics=photo -montage location			Construction						
600	No view	Glover- Actons- Greenway.	Mod/Ad	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
700	No view	Glover- Actons Greenway.	Sub/Ad	No view	No view?	NC	NC	NC	Alignment, Earthworks and planting
800	245m?	Glover- Actons Greenway.	Sub/Ad	200-300m	200-300m	Mod/Ad	Mod/Ad	Mod/Ad	Alignment, Earthworks and planting
900	?	Greenway.	Sub/Ad	800-900m	500-600m	Sl/Ad	Neg	Neg	Alignment, Earthworks and planting
1000m	No view	Glover- Actons Greenway	Sub/Ad	300-400m	No view	Sl/Ad	NC	NC	Alignment, Earthworks and planting
1100m	No view	Greenway	Sl/Ad	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
34									
0m Same as 31b@ 190m	300m	Actons	Sub/Ad	No view	No view	Mod/Ad	NC	NC	
100m	300m	Acton- Adams Adams - Queenway	Sub/Ad	1900-2000m	900-1000m	Sub/Ad	Mod/Ad	Mod/Ad	Alignment, Earthworks and planting

REF_No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse SI/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage Location			Construction						
200m	300m	Acton- Adams. Adams - Queenway	Sub/Ad	1900-2000m	900-1000m	Sub/Ad	Mod/Ad	Mod/Ad	Alignment, Earthworks and planting
Viewpoint 9 @300m	257m	Acton- Adams Adams - Queenway	Sub/Ad	1600-1700m	900-1000m	Sub/Ad	Mod/Ad	Mod/Ad	Alignment, Earthworks and planting
400m	267m	Acton- Adams Adams - Queenway	Sub/Ad	1000-1100m	500-600m	Sub/Ad	Mod/Ad	Mod/Ad	Alignment, Earthworks and planting
464m	300m	Acton- Adams. Lake	Sub/Ad	500-600m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
35a									
0m	No view	No view	NC	No view	No view	NC	NC	NC	
100m	No view	No view	NC	No view	No view	NC	NC	NC	
200m	No view	No view	NC	No view	No view	NC	NC	NC	
300m	No view	No view	NC	No view	No view	NC	NC	NC	
400m	No view	No view	NC	No view	No view	NC	NC	NC	
500m	No view	No view	NC	No view	No view	NC	NC	NC	
600m	No view	No view	NC	No view	No view	NC	NC	NC	
700 m	No view	No view	NC	No view	No view	NC	NC	NC	

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse S/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage Location			Construction						
800m	No view	No view	NC	No view	No view	NC	NC	NC	
900m	No view	No view	NC	No view	No view	NC	NC	NC	
1000m	No view	No view	NC	No view	No view	NC	NC	NC	
1100m	No view	No view	NC	No view	No view	NC	NC	NC	
1175m	No view	No view	NC	No view	No view	NC	NC	NC	
35b									
0m	No view	No view		No view	No view	NC	NC	NC	
100m	No view	No view		No view	No view	NC	NC	NC	
200m	No view	No view		No view	No view	NC	NC	NC	
35c									
0m same as 35b@ 200m	No view	No view							
100m	No view	No view		No view	No view	NC	NC	NC	
200m	No view	No view		No view	No view	NC	NC	NC	
274m	No view	No view		No view	No view	NC	NC	NC	
35d									
0m same as 35c@ 274m	No view	No view		No view	No view	NC	NC	NC	
100m same as 70@ 290m	No view	No view		No view	No view	NC	NC	NC	
35e check									
0m same as 70 @290m	No view	No view		No view	No view	NC	NC	NC	

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse Sl/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage location			Construction						
64m	785m	Actons- Adams		100-200m	No view	Neg	NC	NC	Alignment, Earthworks and planting
57									
0m	No view	No view		No view	No view	NC	NC	NC	
100m	No view	No view		No view	No view	NC	NC	NC	
200m	No view	No view		No view	No view	NC	NC	NC	
300m	No view	No view		No view	No view	NC	NC	NC	
400m	No view	No view		No view	No view	NC	NC	NC	
500m	No view	No view		No view	No view	NC	NC	NC	
600m	No view	No view		No view	No view	NC	NC	NC	
700m	No view	No view		No view	No view	NC	NC	NC	Alignment, Earthworks and planting
Viewpoint 11 @ 720m	1280m	Adams- Queensway		200-300m	0-100m	Sl/Ad	Neg	Neg	Alignment, Earthworks and planting
800m	No view	No view		No view	No view	NC	NC	NC	
833m	No view	No view		No view	No view	NC	NC	NC	Alignment, Earthworks and planting
58a									
0m	No view	No view		No view	No view	NC	NC	NC	
100m	No view	No view		No view	No view	NC	NC	NC	
200m	No view	No view		No view	No view	NC	NC	NC	
300m	No view	No view		No view	No view	NC	NC	NC	
400m	No view	No view		No view	No view	NC	NC	NC	
500m	No view	No view		No view	No view	NC	NC	NC	
600m	No view	No view		No view	No view	NC	NC	NC	
700m	No view	No view		No view	No view	NC	NC	NC	
800m	No view	No view		No view	No view	NC	NC	NC	

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse S/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage Location			Construction						
884m	No view	No view		No view	No view	NC	NC	NC	
58b									
0m same as 58a @ 884m	No view	No view		No view	No view	NC	NC	NC	
100m	No view	No view		No view	No view	NC	NC	NC	
200m	No view	No view		No view	No view	NC	NC	NC	
300m	No view	Actons - Adams		No view	No view	NC	NC	NC	
400m	No view	No view		No view	No view	NC	NC	NC	
500m	No view	No view		No view	No view	NC	NC	NC	
600m	No view	No view		No view	No view	NC	NC	NC	
700m	No view	No view		No view	No view	NC	NC	NC	
800m	No view	No view		No view	No view	NC	NC	NC	
900m	No view	No view		No view	No view	NC	NC	NC	
1000m	No view	No view		No view	No view	NC	NC	NC	
1020m	No view	No view		No view	No view	NC	NC	NC	
70									
0m same as 35b @ 200m	No view	No view			No view				
100m	No view	No view		No view	No view	NC	NC	NC	
200m	No view	No view		No view	No view	NC	NC	NC	
290m	No view	No view		No view	No view	NC	NC	NC	
76									
0m Same as 58a 884m	No view	No view		No view	No view	NC	NC	NC	

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse Sl/Ad = Slight Adverse Neg = Negligible NC = No Change			Mitigation and Comments
						First Winter	Winter 15 yrs.	Sum- mer 15yrs	
Italics=photo -montage location			Construction						
100m	443m	Glovers- Actons Glimpses		Glimpses	Glimpses	Sl/Ad	Neg	Neg	Glimpses through gaps in hedge to view of Lakes
200m	380m	Glovers- Actons		200-300m	0-100m	Sl/Ad	Neg	Neg	Glimpses through gaps in hedge to view of Lakes
300m	540m	Glovers- Actons		700-800m	0-100m	Mod/Ad	Sl/Ad	Sl/Ad	Glimpses through gaps in hedge to view of Lakes
400m	No view	Glovers- Actons		No view	No view	NC	NC	NC	Glimpses through gaps in hedge to view of Lakes
500m	n/a	Section of footpath to be replaced		n/a	n/a	n/a	n/a	n/a	
New foot path on bridge	570m	Glovers- Actons- Watermill				Sub/Ad	Sub/Ad	Sub/Ad	Views from overbridge difficult to mitigate, but reducing impact as move away from bridge
600m	266m	Glovers- Actons- Greenway		800-900m	No view?	Mod/Ad	NC	NC	Alignment, Earthworks and planting
654m Same as 31b@ 190m	300m	Actons				Mod/Ad	NC	NC	
79a									
0m same as 79b 28m	No view	No view			No view	NC	NC	NC	
100m	No view	No view			No view	NC	NC	NC	
200m	No view	No view			No view	NC	NC	NC	

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse SI/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage Location			Construction						
300m	No view	No view			No view	NC	NC	NC	
390m same as 1 @ 0m	No view	No view			No view	NC	NC	NC	
79b									
0m	No view	No view			No view	NC	NC	NC	
28m	No view	No view			No view	NC	NC	NC	
Permissive footpaths									
Combe Haven									
Om same as 29b @ 834m	2270m	Actons to Adams		300-400m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
100m	2170m	Actons to Adams		300-400m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
200m	2070	Actons to Adams		300-400m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
300m	1970	Actons to Adams		300-400m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
400m	992m	Actons to Adams		400-500m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
500m	893m	Actons to Adams		400-500m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
600m	802m	Actons to Adams		300-400m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting
700m	616m	Actons to Adams		400-500m	No view	SI/Ad	NC	NC	Alignment, Earthworks and planting

REF_No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse SI/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage location			Construction						
800m	600m	Actons to Adams		400-500m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
900m	503m	Actons to Adams		500-600m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
1000m	352m	Actons to Adams		500-600m	200-300m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
1100m	326m	Actons to Adams		500-600m	200-300m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
1200m	326m	Actons- Adams		400-500m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
1255m same as 1 @ 980m (Vpoint5)	270m	Actons- Adams		400-500m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
1300m	294m	Actons- Adams		400-500m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
1400m	874m	Actons- Adams		400-500m	0-100m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
1500m	874m	Actons- Adams		400-500m	100-200m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
1600m	382m	Actons- Adams		700-800m	200-300m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
1700m	545m	Actons- Adams		1000-1100m	400-500m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
1800m	344m	Actons- Adams		1200-1300m	400-500m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/ Ad	Winter 15 yrs.	Sum- mer 15yrs	
Italics=photo -montage location			Construction						
1900m	383m	Actons- Adams		400-500m	0-100m	Mod/Ad	SI/Ad	SI/Ad	Alignment, Earthworks and planting
Disused railway line									
0m	64m	Glovers - Actons		1400-1500m	700-800m	Sub/Ad	Sub/Ad	Sub/Ad	
100m	486m	Glovers - Actons		200-300m	100-200m	Mod/Ad	Mod/Ad	Mod/Ad	
Viewpoint 13 @ 185m	180m	Glovers - Actons		200-300m	0-100m	Mod/Ad	Mod/Ad	Mod/Ad	
200m	No view	No view		No view	No view	NC	NC	NC	
300m	No view	No view		No view	No view	NC	NC	NC	
400m	No view	No view		No view	No view	NC	NC	NC	
500m	No view	No view		No view	No view	NC	NC	NC	
Viewpoint 14 @ 600m	1065m	Actons- Adams		600-700m	No view	Mod/Ad	NC	NC	
700m	No view	No view		No view	No view	NC	NC	NC	
800m	No view	No view		No view	No view	NC	NC	NC	
900m	No view	No view		No view	No view	NC	NC	NC	
1000m	No view	No view		No view	No view	NC	NC	NC	
1100m	No view	No view		No view	No view	NC	NC	NC	
1200m	No view	No view		No view	No view	NC	NC	NC	
1300m	No view	No view		No view	No view	NC	NC	NC	
1400m	No view	No view		No view	No view	NC	NC	NC	
1500m	No view	No view		No view	No view	NC	NC	NC	
1600m	No view	No view		No view	No view	NC	NC	NC	

REF.No Footpath number	Distance from visible centre @0 years	Visible section of the road.	Visual Impact	Length of road Visible @0 years.	Length of road Visible @15 years.	Visual Impact			Mitigation and Comments
						Sub/Ad = Substantial Adverse Mod/Ad = Moderate Adverse Sl/Ad = Slight Adverse Neg = Negligible NC = No Change	First Winter	Winter 15 yrs.	
Italics=photo -montage location			Construction						
1700m	No view	No view		No view	No view	NC	NC	NC	
1755m	No view	No view		No view	No view	NC	NC	NC	
Extreme edge study area, in AONB 17b/c									
0m	No view	No view		No view	No view	NC	NC	NC	
100m	No view	No view	NC	No view	No view	NC	NC	NC	Alignment, Earthworks and planting
200m	1428m	Actons- Adams	Neg	100-200m		Neg	NC	NC	Alignment, Earthworks and planting
Viewpoint15 @ 210m	1428m	Actons- Adams	Neg	100-200m		Neg	NC	NC	Alignment, Earthworks and planting
300m	No view	No view	NC	No view	No view	NC	NC	NC	
400m	No view	No view	NC	No view	No view	NC	NC	NC	
440m	No view	No view	NC	No view	No view	NC	NC	NC	
NB: Assessment carried out at 100m points on paths working from South-North									